

A harness is your single most important equipment choice. It affects your safety in many different ways. But its design and craftsmanship also have a direct influence on your comfort, confidence, productivity and versatility on the job.

DBI-SALA™ harnesses — ExoFit Nex™. ExoFit™ XP. ExoFit[™] and Delta[™] — have earned a reputation for maximum comfort, freedom of movement and ease-of-use, as well as launching innovations such as the spring-loaded, stand-up back D-ring, Delta™ No-Tangle pad and the Revolver™ torso adjusters.

Many of our harnesses can be used on most jobs. DBI-SALA™ also manufactures harnesses for specific uses within industries such as Construction, Oil and Gas, Transportation, Utilities/Telecommunications and Municipalities and Wind Energy. General- and specific-use harnesses will be identified on the following pages.

All harnesses meet OSHA and ANSI standards, including the stringent ANSI Z359.1.



CHOOSING YOUR HARNESS

Look for quality in these features when selecting your harness.

DORSAL CONNECTION

The fall arrest point must be located on the back, positioned between the shoulder blades. Your harness must always include a dorsal attachment point.



2 WEBBING

Webbing is an important factor in the durability and safety of the harness. Ensure that the webbing is strong enough to endure rough use, exposure to sunlight and other elements without tearing or fraying. Specialty applications such as welding and electrical maintenance require Nomex®/Kevlar® or nylon that offers fire resistance or arc flash protection.

3 ADJUSTING POINTS

Whether you wear a harness 4 hours a day or 14, it needs to fit right for safety and comfort. Harnesses with adjusting points on the legs, waist (belt models), chest and torso allow a better fit.

4 LEG STRAPS

Depending on worker preference, leg strap fasteners may be available in different styles, including:








Quick Connect Buckle

A sub-pelvic strap provides additional support, security and comfort for the user.

Properly positioned, it better distributes forces during a fall.



Book style labels put product and inspection information at the workers' fingertips. Pages may include sizing, operating instructions, inspection log, warning labels and compliance information. These labels promote quick inspection, compliance and safety.



STITCHING

Double box stitching provides maximum strength and durability. It's sewn-in quality you can trust.

8 PADDING

Cushioned shoulder, leg and hip pads keep the pressure off, providing extra worker comfort for long hours of wear. In a fall, they absorb shock and help distribute your weight. They may be built-in to avoid slipping or may be removable.



9 SEAT SLINGS

A removable seat sling provides job versatility and added comfort during long hours of use.



IMPACT INDICATORS

Impact indicators provide immediate notice that the worker and harness have been in a fall. This feature promotes safety and proper inspection.



A lanyard keeper provides a place to park your lanyard when not in use. It prevents tripping and entanglement for enhanced safety.



12 BREATHABLE LININGS

The ExoFit™ series of harnesses feature breathable linings that wick moisture away from your body, So you stay dry and comfortable in heat or cold.



TYPES OF HARNESSES

DBI-SALA™ harnesses are available in different types, with various features, depending on their intended use.



MULTI-PURPOSE HARNESS

This type typically includes extra attachment points which allow work in a variety of situations. The belt and pad provide additional back lumbar support, positioning rings and tool carrying options.



WORK POSITIONING HARNESS

These harnesses have positioning D-rings located on the hips for use with pole straps or work positioning lanyards, which allow hands-free operation. Harnesses of this kind may include integral waist belts.



LADDER CLIMBING HARNESS

Harnesses with a frontal attachment point, for connection to permanent ladder safety systems.



DESCENT CONTROL HARNESS

These harnesses typically have frontal attachment points for use with descent control devices.



CONFINED ENTRY/RETRIEVAL HARNESS One attachment point located on each shoulder strap facilitates upright retrieval from confined spaces.



E)(OFIT

EXOFIT NEX

The Ultimate Full Body Comfort Harnesses

ExoFit NEX™ harnesses are the newest, most advanced harnesses in the industry. They're the culmination of our experience with ExoFit™ and ExoFit™ XP. ongoing research and the incorporation of new materials and innovative features. When you purchase an ExoFit NEX™ harness, you can be certain that you're purchasing the finest harness available today, from DBI-SALA™ or anyone else.

COMFORT True to our NEX mission, we manufacture these harnesses using materials that won't add unnecessary weight.

FUNCTION When speed and efficiency are project requirements, ExoFit NEX™ will provide the freedom and confidence to function at your maximum potential.

DURABILITY ■ ExoFit NEX™ harnesses are designed using materials that last.

REVOLVER™ VERTICAL -TORSO ADJUSTERS

Simple and fast adjustments that eliminate loose ends and lock into place, preventing slippage.

HYBRID COMFORT PADDING

Lightweight, moisture wicking and breathable padding won't move or slip, always keeping the wearer comfortable.

TECH-LITE™ ALUMINUM D-RINGS = ----

Extremely lightweight alloy commonly used in military and aerospace offers a higher level of security and comfort.

INTEGRATED TRAUMA STRAPS -

Provide an adjustable, continuous loop for post fall, minimizing suspension trauma.

DUO-LOK™ QUICK CONNECT BUCKLES -

Lightweight one-handed use with memory-fit web-lock ensures fast, non-slipping connections.



ULTRA-SOFT EDGING -Moves with you. Doesn't rub or chafe.

420 LB.

CAPACITY

Model Shown 1113130

E) OFIT

PROTECTIVE SHOULDER CAPS

Provide protection and comfort when carrying heavy materials.

MOLDED LANYARD KEEPERS

Easy holstered snap hooks break away to avoid trip hazard.

REFLECTIVE MATERIAL

For greater visibility in dark and dangerous environments, reflective material is integrated on legs, chest, shoulders and back.

BUILT-IN CARRYING POCKET

Conveniently holds and protects a cell phone, camera or other items.

REPEL TECHNOLOGY WEBBING

Water repellent to reduce attraction of mold and dirt - also has up to 5 times more abrasion resistance.



STAND-UP DORSAL D-RING

Patented spring-loaded design automatically stands-up, ensuring fast, easy and safe connections to your fall arrest system.



SUPERIOR X-DESIGN

A single piece of material in the shape of an X wraps around the wearer for the ultimate in comfort, security and no-tangle donning.



EXOFIT NEXT

VEST-STYLE FULL BODY HARNESSES

Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1113055 **EXOFIT NEX™ VEST-STYLE HARNESS**

Aluminum back and side D-rings, locking quick connect buckles. (XLarge)

1113046 Small

1113049 Medium 1113052 Large



1113070 **EXOFIT NEX™ VEST-STYLE HARNESS**

Aluminum back and shoulder D-rings, locking quick connect buckles. (XLarge)

1113061 Small

1113064 Medium

1113067 Large



1113040 **EXOFIT NEX™ VEST-STYLE HARNESS**

Aluminum front and back D-rings, locking quick connect buckles. (XLarge)

1113031 Small

1113034 Medium 1113037 Large



1113085 **EXOFIT NEX™ VEST-STYLE HARNESS**

Aluminum front. back and side D-rings. locking quick connect buckles. (XLarge) 1113076 Small

1113079 Medium

1113082 Large

EXOFIT NEX CROSS-OVER STYLE HARNESSES

1113010

1113001 Small

1113007 Large

1113004 Medium

EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum back D-ring, locking quick

connect buckles. (XLarge)

A front-mounted D-ring makes the cross-over style ideal as a rescue harness and for ladder climbing applications.



1113100

EXOFIT NEX™ CROSS-OVER STYLE HARNESS

Aluminum front and back D-rings, locking quick connect buckles (XLarge)

1113091 Small

1113094 Medium 1113097 Large



1113115 **EXOFIT NEX™ CROSS-OVER** STYLE HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles. (XLarge)

1113106 Small

1113109 Medium

EXOFIT NEX™ **TOWER CLIMBING HARNESSES**

Tower climbing models are built to keep workers comfortable during extended hours in harness. Tool loops are ideal for carrying equipment.

1113193

EXOFIT NEX™ TOWER CLIMBING HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles with sewn-in hip pad and belt, removable seat sling with positioning D-rings. (XLarge)

1113190 Small

1113191 Medium

1113192 Large



BACK VIEW

A removable seat sling adds even more comfort. for those who wear them all day long.




EXOFIT NEX™

CONSTRUCTION STYLE HARNESSES Made for general construction work, these harnesses have excellent tool-carrying capability, sewn-in hip pad and removable body belt.



Protective hip padding loops prevent equipment pouches from sagging and reduce abrasion in vulnerable areas.



Easily adjusted tongue buckle body belt.

1113130

EXOFIT NEX™ CONSTRUCTION **STYLE HARNESS**

Aluminum back and side D-rings, locking quick connect buckles with sewn-in hip pad, removable belt. (XLarge)

1113121 Small

1113124 Medium 1113127 Large



1113160

EXOFIT NEX™ CONSTRUCTION **STYLE HARNESS**

Aluminum front, back and side D-rings, locking quick connect buckles. sewn-in hip pad. removable belt. (XLarge)

1113151 Small

1113154 Medium

1113157 Large

EXOFIT NEX™

GLOBAL WIND ENERGY HARNESSES

Our wind industry harnesses meet global compliance standards: ANSI, OSHA, CSA and CE.

1113218

EXOFIT NEX™ GLOBAL WIND ENERGY HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad with belt and lumbar wear protection. (XLarge)

1113215 Small

1113216 Medium

1113217 Large



PROTECTOR The lumbar protector is easily replaced in the field when worn or damaged.



RADIO HOLSTER holds and protects a radio, cell phone, or other item like a Lad-Saf™ sleeve.

BACK VIEW

See page 39 for details.



1113213 **EXOFIT NEX™**

GLOBAL WIND

FULL BODY HARNESSES

ENERGY HARNESS Aluminum front, back and side D-rings, locking quick connect buckles. (XLarge)

1113210 Small

1113211 Medium

1113212 Large

EXOFIT NEX™ **MINERS' HARNESSES**

Our miners' harnesses are made with belts constructed specifically to hold equipment carried by miners.



1113199

EXOFIT NEX™ MINER'S HARNESS

Aluminum back D-ring. locking quick connect buckles, integrated hip padding with belt and miner's equipment straps. (XLarge)

1113195 Small

1113196 Medium

1113197 Large

BACK VIEW

SALA

420 LB.

CAPACITY

Model Shown 1110103

EXOFIT™ XP

The Second Generation Full Body **Comfort Harnesses**

ExoFit™ XP made its mark as the industry's most comfortable harness. Its design incorporates a single piece of material that wraps around you in the shape of an X, for the ultimate in no-tangle donning and comfortable security. Its padding can be removed and cleaned. XP materials are soft and lightweight, yet extremely durable.





REMOVABLE PADDING

Cleaning is easy. Just throw it in the washer.

CUSHIONED LEG AND HIP STRAPS -Comfort and additional security during a fall.

QUICK CONNECT BUCKLES -Color-coded and provide one-handed

operation for fast, easy donning.

ULTRA-SOFT EDGING • Moves with you. Doesn't rub or chafe.





Keeps pressure off, absorbs shock, helps distribute weight in a fall. Designed so they won't slip or slide off your shoulder.

REFLECTIVE PIPING

Enhances visibility in low-light conditions.

INTEGRATED LANYARD KEEPERS

Prevent dangerous entanglements. They snap free when snagged.

SOFT. LIGHTWEIGHT WEBBING Strong, yet isn't stiff or coarse.

3-D MESH AND BREATHABLE LINING

Allows moisture to evaporate and cool air to circulate, keeping you cool and dry.



STAND-UP DORSAL D-RING WITH IMPACT INDICATOR

It's spring-loaded, ensuring fast, easy and safe connections to a lanyard or SRL.





Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1110228 EXOFIT™ XP **VEST-STYLE HARNESS**

Back and side D-rings. loops for belt, quick connect buckles. (XLarge) 1110225 Small

1110226 Medium 1110227 Large



1110128

EXOFIT™ XP **VEST-STYLE HARNESS** Back D-ring, loops for

belt, tongue buckle legs. (XLarge)

1110125 Small

1110126 Medium

1110127 Large



1109728 EXOFIT™ XP **VEST-STYLE HARNESS**

Front and back D-rings, loops for belt. quick connect buckles. (XLarge)

1109725 Small

1109726 Medium 1109727 Large



1109753 **EXOFIT™ XP VEST-STYLE HARNESS**

Front, back and side D-rings, loops for belt, quick connect buckles. (XLarge)

1109750 Small

1109751 Medium

1109752 Large

EXOFIT™ XP **CROSS-OVER STYLE HARNESSES**

1110103

1110100 Small

1110101 Medium

1110102 Large

EXOFIT™ XP VEST-STYLE HARNESS

Back D-ring, loops for belt, quick

connect buckles. (XLarge)

A front-mounted D-ring makes the cross-over style ideal for ladder climbing and rescue applications.



1109803 **EXOFIT™ XP CROSS-OVER STYLE HARNESS**

Front and back D-rings, loops for belt, quick connect buckles. (XLarge)

1109800 Small 1109801 Medium

1109802 Large



1110353

EXOFIT™ XP **CROSS-OVER STYLE HARNESS**

Back, front, and side D-rings, sewn-in hip pad and hip adjustments. (XLarge)

1110350 Small

1110351 Medium



EXOFIT™ XP

CONSTRUCTION STYLE HARNESSES Made for general construction work, these harnesses have excellent tool-carrying capability, a sewn-in hip pad and removable body belt.



1110153 EXOFIT™ XP **CONSTRUCTION STYLE HARNESS**

Back D-ring, sewn-in back pad and belt with side D-rings, quick connect buckles. (XLarge)

1110150 SM 1110151 MED 1110152 LG



1110178 **EXOFIT™ XP CONSTRUCTION STYLE HARNESS**

Back D-ring, sewn-in back pad and belt with side D-rings, tongue buckle legs. (XLarge)

1110175 SM 1110176 MED 1110177 LG





Dorsal web loop option for no metal connections

7,000 lb. Nylon or Nomex®/Kevlar webbing options to meet your different jobsite needs

Flame resistant Nomex®/Kevlar® fabric used in back, hip and leg pads

metal hardware reduces static energy transfer PVC coated hardware option for

non-conductive, non-sparking applications

EXOFIT™ XP **ARC FLASH HARNESSES**

XP arc flash harnesses are perfect for use in any industry where high voltage electricity is a concern. That's because all DBI-SALA™ arc flash equipment has been tested to perform in accordance with the stringent ASTM F887-05 Standard Specification for Personal Climbing Equipment.

Testing for fall protection is performed in two steps. The first exposes the equipment to an arc flash at 40 cal/cm² and the second is a drop test compliant with ANSI Z359.1 after the exposure.



1110892

EXOFIT™ XP ARC FLASH HARNESS Nomex®/Keylar® webbing. PVC-coated hardware, pass thru buckles, back and leg Nomex®/Kevlar® pads. (XLarge)

1110893 Small

1110890 Medium 1110891 Large



MEDIUM

1100942 1100943 1100940 1100941

1110842

EXOFIT™ XP ARC FLASH HARNESS

Removable Nomex®/Kevlar® padding, 7,000 lb.

back and leg Nomex®/Kevlar® pads, leather

1110964 SM, 1110840 MED, 1110841 LG

SMALL

insulators, rescue loops. (XLarge)

nylon web, back web loop, quick connect buckles,

Nomex®/Kevlar® web, vest-style, back D-ring, Nomex®/Kevlar® back and leg pads, quick connect buckles.

LARGE

1110849 1110843 1110844

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles, rescue loops, leather insulators, PVC coated back D-ring.

1110873 1110870 1110871

Cross-over style, removable Nomex®/Kevlar® padding, 7000 lb. nylon web, front and back web loop, quick connect buckles, leather insulators.

1110883 1110880 1110881

Construction style, Nomex®/Kevlar® web and pads, back web loop, quick connect buckles, Kevlar® pass thru body belt.

1111303 1111300 1111301 1111302

Construction style, Nomex®/Kevlar® web and pads, PVC coated back D-ring, quick connect buckles, Kevlar® pass thru body belt.



1110852

EXOFIT™ XP CONSTRUCTION ARC FLASH HARNESS

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles, leather insulators, rescue loops and body belt. (XLarge)

1110853 Small

1110850 Medium



Model Shown 1107981 - CUSHIONED SHOULDER PADS

Help minimize pressure on shoulders. Designed so they won't slip or slide off

BREATHABLE LINING

Immediately draws moisture away, keeping you dry and comfortable.

420 LB. CAPACITY

EASY-GRIP END TABS

Something secure to hang on to when adjusting the straps.

- ANTI-TEAR BALLISTIC NYLON

Abrasion-resistant for rugged strength and durability. Twice the endurance of standard nylon or polyester.

REFLECTIVE PIPING

Enhances visibility in low light conditions.

BACK D-RING

Keeps you upright every time. 5,000 lb. minimum tensile strength.

Hold straps firmly in place, adjust easily and complete the 5-point adjustment system.

ULTRA-SOFT EDGING -

Doesn't rub or chafe.

Moves with you.

TORSO BUCKLES ..

It's our original comfort fit harness,

that wraps around you in the shape of an X. It dons without tangling and provides comfortable security.

ExoFit remembers your adjustments.

Snap three buckles and you're ready

with a single piece of material

to work. Shoulder, hip and leg

padding is built-in so it can't slip.

A breathable lining guarantees

you'll stay dry and comfortable.

CUSHIONED LEG AND HIP STRAPS =

Comfortable and offer additional security during a fall.

QUICK CONNECT BUCKLES =-

Provide one-handed operation for fast, easy donning.





1107981

EXOFIT™ VEST-STYLE HARNESS

Back D-ring, loops for belt, quick connect buckles. (XLarge)

1107975 Small

1107976 Medium

1107977 Large



EXOFIT[™] **VEST-STYLE HARNESS**

Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1108581

EXOFIT™ **VEST-STYLE HARNESS** Back and side D-rings,

loops for belt, quick connect buckles. (XLarge) 1108575 Small

1108576 Medium

1108532

VEST-STYLE HARNESS

connect buckles. (XLarge)

Front and back D-rings,

loops for belt, quick

1108525 Small

1108527 Large

EXOFIT™

1108577 Large



1109358

EXOFIT™ **VEST-STYLE HARNESS**

Back D-ring, loops for belt, tongue buckle legs. (XLarge)

1109355 Small

1109356 Medium

1109357 Large



EXOFIT™ **VEST-STYLE HARNESS** Front, back and side

D-rings, loops for belt, quick connect buckles. (XLarge)

1108600 Small

1108601 Medium 1108602 Large

1108526 Medium



EXOFIT™ CROSS-OVER STYLE

HARNESSES

A front-mounted D-ring makes the cross-over style ideal for ladder climbing and rescue applications.



1108682 **EXOFIT™ CROSS-OVER STYLE HARNESS**

Front and back D-rings, loops for belt, auickconnect buckles. (XLarge)

1108675 Small

1108676 Medium 1108677 Large



1108706 EXOFIT™ CROSS-

OVER STYLE HARNESS Front, back and side D-rings, loops for belt

quick connect buckles. (XLarge) 1108700 Small

1108701 Medium

EXOFIT™

CONSTRUCTION STYLE HARNESSES

Made for general construction work, these harnesses have excellent tool-carrying capability, a sewn-in hip pad and removable body belt.



EXOFIT™ CONSTRUCTION STYLE HARNESS

Back D-ring, sewn-in back pad and belt with side D-rings, quick connect buckles. (XLarge)

1108500 Small

1108501 Medium

1108502 Large



1110478

EXOFIT™ CONSTRUCTION STYLE HARNESS

Back D-rings, sewn in hip pad and belt with side D-rings, tongue buckle legs. (XLarge)

1110475 Small

1110476 Medium

1110477 Large

1108975

EXOFIT™ CONSTRUCTION STYLE HARNESSES

1108978

X-LARGE SMALL MEDIUM LARGE 1108979

> Back and front D-ring, sewn-in back pad and belt with side D-rings, quick connect buckles.

1108519 1108517 1108518 1108516

1108977

Back D-ring, sewn-in back pad and belt with side D-rings, quick connect buckles, 9504066 and 9504072 tool pouches.

EXOFIT™



0000000

1100303

EXOFIT™ DERRICK HARNESS

Vest-style, back D-ring with 18" extension, belt with back pad and back D-ring, soft seat sling with positioning D-rings, pass thru buckle connections at shoulder for 1000570 derrick belt. (XLarge)

1100300 Small 1100301 Medium

Harness at left pictured with 1000570 derrick belt



EXOFIT™ DERRICK BELT

Positioning D-rings, pass thru buckles for harness connection. (Universal Size)

EXOFIT™

WIND ENERGY HARNESSES

Our wind industry harnesses meet global compliance standards: ANSI, OSHA, CSA and CE.



Reinforced lumbar area for added back support, Tool loops allow you to keep your tools close at hand.



Integrated trauma straps minimize suspension trauma

1102388

EXOFIT™WIND ENERGY HARNESS

Quick connect buckle legs, PVC coated front, back and side D-rings, sewn-in hip pad and belt with tool loops. (XLarge)

1102385 Small

1102386 Medium

1102387 Large



(XLarge) 1102340 Small

1102341 Medium

FULL BODY HARNESSES

1102342 Large



EXOFIT™ TOWER CLIMBING HARNESS

Front and back D-rings, belt with back pad and side D-rings, removable seat sling with positioning D-rings, quick connect buckles.

1108650 Small

1108652 Large



Excellent tool-carrying capability. Extra tough tubular web encases sub-pelvic webbing for added wear resistance for straddling beams.

1100533

EXOFIT™ IRON WORKER'S HARNESS

Back D-ring, sewn-in back pad and belt with side D-rings, reinforced seat straps, tongue buckle legs. (XLarge)

1100530 Small

1100531 Medium 1100532 Large



Innovative, full body support for more than two decades.

New, improved Delta™ harnesses combine "industry-first" advancements with popular features that have made Delta™ the workhorse of the industry. Today's Delta™ represents more than twenty years of design, research, manufacturing know-how and on-the-job performance.

Durable - Convenient - Comfortable

Delta[™] harnesses are as tough as those who wear them. They have a shape of their own so you can don them quickly and easily. And Delta™ supports your back and hips while bearing heavy loads.

NO TANGLE DESIGN

Defining the Delta™ name, the patented triangular design creates a frame that allows the harness to fall into place when donned.

DELTA™ COMFORT HIP PAD .

Improved ergonomic fit constructed with a soft, breathable, comfortable interior that supports your back and hips.

TECH-LITE™ QUICK • · CONNECT BUCKLES

Lightweight aluminum alloy buckles for fast and easy connections.



REPEL™ WEBBING

Water repellent to reduce attraction of mold and dirt - also has more abrasion resistance.

LANYARD KEEPERS

Delta[™] lanyard keepers hold your unused snap hooks and help reduce



Simple and fast adjustment that eliminates loose ends and locks into place, preventing slippage.



Patented spring-loaded design automatically stands-up, ensuring fast, easy and safe connections to your fall arrest system.

420 LB. CAPACITY Model Shown 1101656 **IMPACT INDICATOR =** Provides visual alert that the harness has been involved in a fall and for safety inspections.



Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1102008

DELTA™ **VEST-STYLE HARNESS**

Side and back D-ring. tongue buckle leg straps. (Universal Size) 1102008 (pictured) Tongue Buckles

1110625 **Quick Connect Buckles** 1103875 Pass Thru Buckles



1102090

DELTA™ **VEST-STYLE HARNESS**

Back and front D-rings. quick connect buckles. (Universal Size)

1102090 (pictured) **Quick Connect Buckles** 1107807

Tongue Buckles 1112126

Pass Thru Buckles



1102000

DELTA™ VEST-STYLE HARNESS

Back D-ring, tongue buckle leg straps. (Universal Size)

1102000 Tongue Buckles (pictured)

1110600 Quick Connect Buckles 1103321 Pass Thru Buckles

1101781 DELTA™

VEST-STYLE HARNESS

Back and shoulder D-rings, pass thru buckles. (Universal Size)

1101781 (pictured) Pass Thru Buckles

1101254 **Tongue Buckles**

1110602 **Quick Connect Buckles**

DELTA™ VEST-STYLE HARNESSES

1107813 Front and back D-rings, Hi-Vis web, loops for belt, quick connect buckles. (XLarge) (1107804 LG)

1102001 Back D-rings, parachute adjuster leg straps. (Universal Size)

1101828 Back D-rings, parachute adjuster leg straps, shoulder retrieval D-rings. (Universal Size)

1105400 Back and side D-rings, parachute adjuster leg straps. (Universal Size)

1104725 Back D-ring, with belt loops, non-conduct/sparking hardware, pass thru buckle leg straps. (Universal Size)









DELTA CONSTRUCTION STYLE HARNESSES

Made for general construction work, these harnesses have excellent tool-carrying capability, a sewn-in hip pad and removable body belt.



1101656

DELTA™ CONSTRUCTION STYLE HARNESS

Vest-style, back and side D-rings, belt with sewn-in back and shoulder pads. tongue buckle leg straps. (XLarge)

1102201 Small

1101654 Medium

1101655 Large

DELTA™ CONSTRUCTION STYLE HARNESS

Back and side D-rings, quick connect buckle legs and chest strap, belt with sewn-in back pad. (XLarge)

1110575 Small

1110576 Medium

1110577 Large

DELTA™ CONSTRUCTION STYLE HARNESSES

1107809 Front, back and side D-rings, belt and hip pad, tongue buckle leg. 1107805 SM 1107802 MED 1107801 LG 1107809 XL

1103513 Back D-ring, pass thru buckles, loops for belt. (Universal Size)

1103512 Back and side D-rings, pass thru buckles, loop for belt. (Universal Size)

1102526 Back D-ring, tongue buckle legs, loops for belt. (Universal Size)

1102025 Back and side D-rings, tongue buckle legs, loops for belt. (Universal Size)

DELTA

CROSS-OVER STYLE HARNESSES

A front-mounted D-ring makes the cross-over style ideal for ladder climbing and rescue applications.



1102950

DELTA™ CROSS-OVER **STYLE HARNESS**

Back and front D-rings. tongue buckles legs. (Universal Size) 1102950 (pictured)

Tongue Buckles

1110700 Quick Connect Buckles

1102010 **Pass Thru Buckles**

1101812 CONSTRUCTION STYLE CROSS-OVER HARNESS Front and back D-rings, pass thru legs, belt and

DELTA™ CROSS-OVER STYLE HARNESSES

hip pad with side D-rings. (XLarge)

1101809 SM 1101810 MED 1101811 LG





1106452 (pictured)

DELTA™ IRON WORKER'S HARNESS

Vest-style, back D-ring, adjustable belt support straps with clips, body belt with permanently attached pad, shoulder pads. accessory clips, wear layer web on seat sling, pass thru leg straps. (XLarge) 1106453 SM 1106451 MED 1106550 LG

1106408

DELTA™ IRON WORKER HARNESS

Vest-style, back D-ring adjustable belt support straps with clips, body belt with permanently attached pad, shoulder pads, accessory clips, wear layer web on seat sling, tongue buckle leg straps. (XLarge) 1106403 SM 1106404 MED 1106405 LG



1107778 (pictured) **DELTA™ TOWER**

CLIMBING HARNESS Vest-style, front and back D-ring, belt with 4" wide pad and side D-rings, two tool pouch D-rings, seat sling with positioning D-rings, tongue buckle legs. (XLarge)

1107776 SM 1107777 MED 1107775 LG

1103352

DELTA™ TOWER CLIMBING HARNESS

Cross-over style, front D-ring, belt with 4" wide pad and side D-rings, two tool pouch D-rings, seat sling with positioning D-rings, tongue buckle legs. (XLarge)

1103355 SM 1103351 MED 1103350 LG



Arc flash harnesses are perfect for use in any industry where high voltage electricity is a concern. That's because all DBI-SALA™ arc flash equipment has been tested to perform in accordance with the stringent ASTM F887-05 Standard Specification for Personal Climbing Equipment.



1110752

DELTA™ ARC FLASH HARNESS

7,000 lb. nylon web, no metal above the waist, front and back web loop, pass thru buckle legs, leather insulators. (XLarge) 1110754 SM 1110750 MED 1110751 LG



1110780 Medium 1110781 Large

1110788 Small

1110782

FLASH HARNESS

7,000 lb. nylon web, back

web loop, quick connect

rescue loops. (XLarge)

buckles, leather insulators,

DELTA™ ARC

1110812 DELTA™ ARC **FLASH HARNESS**

Nomex®/Keylar® web. no metal above the waist, front and back web loop, quick connect buckle legs, leather insulators. (XLarge)

1110815 Small 1110810 Medium

1110811 Large



(Universal Size) 1110802

1110830

FLASH HARNESS

Nomex®/Kevlar® web, PVC

D-ring, pass thru leg straps.

coated hardware, back

DELTA™ ARC

DELTA™ ARC **FLASH HARNESS**

Nomex®/Kevlar® web. construction style, back web loop, quick connect buckles. pass thru belt/hip pad with side D-rings. (XLarge)

1110803 Small

1110800 Medium

1110801 Large

DELTA ARC FLASH HARNESSES

7,000 lb. nylon web, vest-style, PVC coated hardware, back D-ring, pass thru buckles. (Universal Size)

1110820 Nomex®/Kevlar® web, vest-style, back web loop, quick connect buckles. (Universal Size)

1110940 Nomex®/Kevlar® web, cross-over style, PVC coated hardware, front, back and side D-rings. (Universal Size)

1102005 7,000 lb. nylon with coated hardware, back web loop, two front rescue loops, pass thru buckles. (XLarge) 1102002 SM 1102003 MED 1102004 LG

DELTA™ ARC FLASH KITS

1150054 Includes 1110751 Delta™ arc flash nylon harness with web loop and 1240861 arc flash shock absorbing lanyard, 6', with bag. (Large)

1150058 Includes 1110752 Delta™ arc flash nylon harness with web loop and 1240861 arc flash shock absorbing lanyard, 6', with bag. (XLarge)



1111580

DELTA VEST™ HI-VIS REFLECTIVE HARNESS

Orange workvest-style harness, reflective, back D-ring, quick connect legs. (Universal Size)



HI-VIS REFLECTIVE AND NON-REFLECTIVE WORKVEST HARNESSES

Sleeveless waist-length vest with harness built-in for high visibility, day or night. Meets ANSI class II requirements for high visibility vests.



1111584 DELTA VEST™ HI-VIS REFLECTIVE HARNESS Yellow workvest-style harness, reflective, back

D-ring, quick connect legs.

(Universal Size)



1111576

DELTA VEST™

Cotton blue workvest-style harness, non-reflective, back D-ring, quick connect legs. (Universal Size)

DELTA™ HI-VIS REFLECTIVE AND NON-REFLECTIVE HARNESSES

1107404 Hi visibility orange workvest-style harness, reflective, back D-ring, tongue buckle legs. (Universal Size)

1107420 Hi visibility yellow workvest-style harness, reflective, back D-ring, tongue buckle legs. (Universal Size)

1107416 Blue cotton workvest-style harness, non-reflective, back D-ring, tongue buckle legs. (Universal Size)



DELTA™ RESIST WEBBING HARNESSES

RESIST technology (polyurethane coated webbing) provides protection against grease, oil, dirt and grime.



1110930 DELTA RESIST WEBBING HARNESS

Cross-over style, with back, front and side D-rings, tongue buckle legs. (Universal Size)

DELTA™ NOMEX®/KEVLAR® WELDERS' HARNESSES 1105475

DELTA™ NOMEX®/KEVLAR® HARNESSES

Vest-style, Nomex®/Kevlar® web, back D-ring, with non-conductive/spark hardware, pass thru buckle leg straps, loops for belt. (Universal Size)

DELTA™ NOMEX'/KEVLAR' HARNESSES

1104625 Vest-style, back D-ring, pass thru buckle leg straps, loops for belt. (Universal Size)

1109975 Vest-style, back D-ring, quick connect buckles, loops for belt.
(Universal Size)

1104775 Cross-over style, front, back and side D-rings, pass thru buckle leg straps, loops for belt. (Universal Size)





OIL AND DERRICK HARNESSES

These harnesses are designed specifically for workers who operate the monkey and tubing boards on oil rigs. They feature comfort and security, with easy donning. These models include connections for an optional derrick belt, which provides comfort while positioning for the next drilling pipe.

Harnesses shown with derrick belt.



DELTA™ DERRICK HARNESS

Back and lifting D-rings, tongue buckle legs and connection to 1003222 derrick belt. (XLarge)

1106357 Small

1106350 Medium

1106353 Large

1003222

DERRICK BELT Work positioning rings, tongue buckle belt. (XLarge) 1003220 SM/MED. 1003221 LG



1106107

DELTA™ DERRICK HARNESS

18" dorsal D-ring extension, belt and hip pad with back D-ring, seat sling, tongue buckle legs, pass-thru connection to 1000570 derrick belt.

1106112 Small

1106108 Medium

1106106 Large



1000570

DERRICK BELT Work positioning rings, pass thru buckle connection.

1105828

DELTA™ DERRICK HARNESS

Back, side D-rings, tongue buckle legs, use with 1000545 derrick belt. (XLarge)

1105826 Small

1105827 Medium

1105825 Large

1000545

DERRICK BELT Work positioning rings, pass thru buckle connection. (XLarge)

1000542 SM, 1000543 MED, 1000544 LG



Built-in seat board for added support.

1108128

Front and back D-ring with 18" dorsal D-ring extension, tongue buckle belt/pad and side D-rings, seat sling with rigid seat board. (X Large)

1108126 SM 1108127 MED 1108125 LG

DELTA™ BOSUN CHAIR HARNESS



1106103 18" dorsal D-ring extension, belt and hip pad with back D-ring, seat sling, tongue buckle legs. (XLarge)

1106100 SM 1106101 MED 1106102 LG

1104801 Back and lifting D-rings, tongue buckle legs and straps for connection to 1000555 derrick belt. (XLarge)

1104803 SM 1104804 MED 1104800 LG

BOSUN CHAIR HARNESS

1108103 Front, back and side D-rings with added 18" extension, tongue buckle belt/pad and side D-rings, with soft 8" wide seat sling. (XLarge)

1108101 SM 1108102 MED 1108100 LG

36

BODY BELTS AND WORKSEATS

LINEMAN'S BELTS



1000663

LINEMAN'S BELT

5 3/4" back pad, side D-rings, tape thong, 2 leather tabs for pouches, 4 leather tool accessory snap and ring. D-size = D23 (57.5cm). D20-D29 available.

1000664 = D24 (61cm)1000665 = D25 (63.5cm)



1000673

LINEMAN'S BELT 7-9" back pad (depending on D) side D-rings, tape thong, 2 leather tabs for pouches, 4 leather tool loops, accessory snap and ring. D-size = D23 (57.5cm). D20-D29 available.

1000674 = D24 (61cm)1000675 = D25 (63.5cm)



1001005

Work seat with board, tongue buckle belt and pad, suspension D-rings, adjustable leg/shoulder strap. (XLarge) 1001001 XSM 1001002 SM 1001003 MED 1001004 LG

1001090

1001190

1001140

Bosun chair, 12" x 24" x 1"

board, cushion and side snaps.

Bosun chair only, 12" x 24" x 1" board.

WORKSEATS

Harness accessory, seat sling, 8" wide, belt attachment loops and D-rings.

TONGUE BUCKLE BELTS

1000025

Tongue buckle belt, side D-rings, 3" pad. (XLarge)

1000021 XSM 1000022 SM 1000023 MED 1000024 LG

1000055

Delta tongue buckle belt, no D-ring, no pad. (XLarge) 1000051 XSM 1000052 SM 1000053 MED 1000054 LG



1000005 Tongue buckle belt, back D-ring, 3" pad. (XLarge) 1000001 XSM 1000002 SM 1000003 MED 1000004 LG

1000165 Tongue buckle belt, with floating D-ring, no pad. (XLarge) 1000161 XSM 1000162 SM 1000163 MED 1000164 LG

1000616 Tongue buckle belt, with back D-ring, no pad. (XLarge) 1000612 XSM 1000613 SM 1000614 MED 1000615 LG

1000717 ExoFit[™] tongue buckle belt, no D-ring, no pad. (XLarge) 1000708 SM 1000709 MED 1000716 LG

CUSTOMIZE YOUR HARNESSES

DBI-SALA™ can put a custom label on your harnesses, or group of harnesses, with an order of 12 or more.

- Same style of harness required, order can be in multiple sizes.
- One logo per harness.
- Logos on Delta™ harnesses black on clear background, sublimation transferred.
- Logos on ExoFit[™] and ExoFit[™] XP black on white background, heat transferred and sewn.
- Logos on ExoFit NEX™ harnesses custom logo and embroidery, multiple color options to suit any need.







HARNESS ACCESSORIES



SUSPENSION TRAUMA SAFETY STRAPS

They are deployed when needed, hook together in seconds and let a suspended worker stand up in harness, relieving downward pressure. The continuous loop design allows for one- or two-foot suspension. You can quickly attach them to most harness brands right in the field. The compact, lightweight design stays out of your way.



One pair, connects to most harnesses.



1150174

HARNESS HYDRATION SYSTEM

50oz. capacity, compatible with all DBI-SALA™ harnesses.

9500468

OFF-SHORE LIFEJACKET

Off-shore orange life vest, back opening for harness, safety whistle, 62 sq. inches of Solas grade reflective tape, foam-filled head support collar with two vertical adjustable straps, hinged back panel for comfort, universal size. Cat. No: 1600 type 1-US Coast Guard Approved.





11-POCKET CONSTRUCTION POUCH

9504072

15-POCKET CONSTRUCTION POUCH



9501264

DBI-SALA™ CELL PHONE HOLDER



9505494

PERSONAL RADIO SLEEVE

Carrying holster for personal radio or Lad-Saf™ sleeve.



9511597

HARNESS AND LANYARD BAG

DBI-SALA™ bag 7-1/2" wide x 6-1/2" deep x 15-1/2" long, holds a harness and lanyard or 50ft. of 5/8" rope.



9505504 SM. MED **9505515** LG. XL. XXL

LUMBAR WEAR PADS

Removable lumbar wear pad for ExoFit NEX™ wind energy harness belt.



1150911

TOOL LANYARD

Tool lanyard extends from 42" to 50" and prevents tools from falling. Holds up to 10 lb. (4.5kg) tool. Simply choke-off to any harness/belt.



1150037

DORSAL WEB COVER

Helps protect dorsal webbing on harness while climbing or descending a ladder such as in wind turbine towers.



9504374

ATTACHMENT BREAKAWAY **LANYARD KEEPER**

Plastic ring with velcro used to "park" lanyard when not in use.



9502006

FOAM SHOULDER PAD Sold one each, two required per harness.



1231117

D-RING EXTENSION D-ring at one end, snap hook at other x 18" (46cm).



9501207

DELTA™ COMFORT PAD

Attaches to most harnesses to provide wrap-around comfort.

